

Data Sheet

HUMAN CHOLECYSTOKININ-RECEPTOR TYPE B [CCK-R] (aa 206-219)

ANTIBODY, POLYCLONAL

| Catalog no.: | AE1128.1 / AE1128.2 | |
|---------------------|--|--|
| lmmunogen: | Synthetic human CCK-R Type B (aa 206-219) polyLysine conjugated (VHRWPSARVRQTWS) | |
| Synonyms: | Gastrin/cholecystokinin type B receptor, Cholecystokinin-2 receptor (CCK2-R) | |
| Swiss-Prot No: | P32239 | |
| Gene Information: | Gene Name: CCKBR, CCKRB | Figure 1: Immunohistoche- mistry image of CCK-BR staining |
| | GenelD: 887 | in paraffin section of human stomach biopsy. The section was incubated with AE1128 |
| Host: | Rabbit | (1:500) and detected using ABC technique. DAB was used |
| Matrix: | Serum | as the chromogen. (A) AE1128 stains most, but not all, gastric |
| Specificity: | Human CCK-R Type B | parietal cells at the basolateral cell membrane and in the cyto- plasm. <i>Kulaksiz H et al. (2000) Cell Tissue</i> |
| Contents: | 20 μl / 100 μl (lyophilized) | |
| | Resuspend in 20 μl / 100 μl aqua bidest. | Res 299(2):289-98. |
| Known applications: | Western Blot (1:1000-3000) ¹ , immunohistochemistry (paraffin sections, 1:500) ¹ | |
| | This antibody has not been tested for use in all applications. This does not necessarily exclude its use for non-tested procedures. The stated dilutions are recommendations only. We suggest that the applicant titrates the antibody in his/her system using appropriate negative/positive controls. | |
| Store at: | 2-8 °C (lyophilized); - 20 °C (dissolved) | |
| | Repeated thawing and freezing must be avoided | |
| References: | 1. Kulaksiz H, Arnold R, Goke B, Maronde E, Meyer M, Fahrenholz F, Forssmann WG, Eissele R (2000). Expression and cell-specific localization of the cholecystokinin B/gastrin receptor in the human stomach. <i>Cell Tissue Res</i> 299 (2): 289-298. | |
| Last updated on: | 18 August 2016 | |

For research use only

Publishing research using AE1128? Please let us know so that we can cite your publication as a reference.